



Z-line filter, construction CBC



Z-line filter, construction

# Filter media **ZLW**



# For high dust concentrations or as a prefilter for fine dust filters

Z-line filter for the separation of coarse dust, used as the first stage in ventilation and air conditioning units or as prefilters for high-quality filter stages

- Filter group ISO Coarse (Coarse dust filter)
- Large filter area due to folding
- Low differential pressures at high volume flow rates
- Moisture-resistant cardboard frame
- Optional frame made of plastic, galvanised sheet steel, stainless steel or aluminium
- Optionally with flat seal
- Tested according to ISO 16890



#### Product data sheet

ZLW

General information2Order code5Technical data3Dimensions6Specification text4

#### General information

#### **Application**

- Z-line filter type ZLW for the separation of coarse dust in ventilation and air conditioning systems
- Coarse dust filter: Prefilter in ventilation systems

#### **Special features**

- · High dust holding capacity at low initial differential pressure
- Long filter life
- Quick fitting and removal
- Low weight and small transport volume
- Can be easily and safely disposed of in municipal refuse incineration plants as emissions are low in harmful substances

#### **Nominal sizes**

B × H × T [mm]

#### Filter classes

Filter group

ISO Coarse to ISO 16890

Filter classes

- Coarse 90 %
- Coarse 60 %

#### Construction

- PLA: Frame made of plastic
- PLAF: Frame made of plastic with 25 mm flange
- CBG: Cardboard frame glued
- CBC: Cardboard frame punched
- CBS: Cardboard frame stapled
- GAL: Galvanised sheet steel
- STA: Stainless steel
- AL: Aluminium

#### **Useful additions**

 Standard cell frame (SCF-B), filter wall (SIF), universal casing (UCA)

#### **Construction features**

- Folded filter media
- Moisture-resistant, stable cardboard frame
- Available in various filter classes and sizes, including commercial installation depths and cross-sections

#### **Materials and surfaces**

- Filter media made of synthetic fibres
- Cardboard frame
- Optional frame made of plastic, galvanised sheet steel, stainless steel or aluminium
- Optionally with flat profile seal on the upstream or downstream side or on both sides

#### Standards and guidelines

- Test according to ISO 16890; international standard for general ventilation and air conditioning; classification of efficiency based on the measured fractional efficiency, which is processed into a reporting system for the fine dust efficiency (ePM)
- For coarse dust filters, the gravimetric separation is measured with synthetic dust
- The filters are classified into filter group ISO Coarse depending on the tested values
- For fine dust filters, the fractional arrestance efficiency of a certain size range is determined by aerosols (DEHS and KCI)
- The filters are classified into filter groups ISO ePM10, ISO ePM2.5 and ISO ePM1 depending on the tested values





# Technical data

Gravimetric efficiency Coarse [%] according to ISO 16890	60	90
Nominal face velocity [m/s]	2.5	2.5
Initial differential pressure [Pa] at nominal volume flow rate for T = 48 mm	50	90
Initial differential pressure [Pa] at nominal volume flow rate for T = 96 mm	35	70
Maximum operating temperature [°C]	60	60
Maximum relative humidity [%]	100	100





## Specification text

This specification text describes the general properties of the product. Texts for variants can be generated with our Easy Product Finder design program.

#### **Specification text**

Z-line filter type ZLW for the separation of coarse dust when used as prefilters in ventilation and air conditioning systems. Z-line filters are available in various filter sizes, including common installation depths and cross-sections, filter group ISO Coarse according to ISO 16890. The filter media is folded, increasing the dust holding capacity and extending the filter life.

#### **Special features**

- High dust holding capacity at low initial differential pressure
- Long filter life
- Quick fitting and removal
- Low weight and small transport volume
- Can be easily and safely disposed of in municipal refuse incineration plants as emissions are low in harmful substances

#### **Materials and surfaces**

- Filter media made of synthetic fibres
- Cardboard frame

- Optional frame made of plastic, galvanised sheet steel, stainless steel or aluminium
- Optionally with flat profile seal on the upstream or downstream side or on both sides

#### Construction

- PLA: Frame made of plastic
- PLAF: Frame made of plastic with 25 mm flange
- CBG: Cardboard frame glued
- CBC: Cardboard frame punched
- CBS: Cardboard frame stapled
- GAL: Galvanised sheet steel
- STA: Stainless steel
- AL: Aluminium

#### Sizing data

- Filter group [ISO 16890]
- Efficiency [%]
- Volume flow rate [m³/h]
- Initial differential pressure [Pa]
- Nominal size [mm]





### Order code



**PLA** Plastic frame

**AL** Aluminium frame

5 Nominal size [mm]

No entry: without seal

FNB Flat seal on both sides

6 Seal

PLAF Plastic frame with 25 mm flange

STA Frame made of stainless steel

Specify size (width × height × depth)

FNU Flat seal on the upstream side

FND Flat seal on the downstream side

GAL Frame made of galvanised sheet steel

#### 1 Type

**ZLW** Z-line filter

#### 2 Classification

Coarse Gravimetric separation efficiency according to ISO 16890

#### 3 Separation efficiency

Separation efficiency [%] according to ISO 16890

#### **4 Construction**

CBC Cardboard frame, glued CBC Cardboard frame, punched CBS Cardboard frame, with clamps

#### Order example: ZLW-Coarse-60%-CBG/592×592×48

Туре	ZLW
Classification	Gravimetric separation efficiency according to ISO 16890
Separation efficiency	60 %
Variant	Cardboard frame, glued
Nominal size [mm]	Width 592, height 592, depth 48

#### ZLW-Coarse-90%-PLA/592×592×48


Classification	ISO Coarse to ISO 16890
Efficiency	90 %
Construction	Plastic frame
Nominal size	592 × 592 × 48 mm





# **Dimensions**

#### **ZLW**, 48 mm and 96 mm



#### **Product specific data**

Construction CBS

Construction C	[1]			[2]		[3]	[4]	[5]
B [mm]	H [mm]	T [mm]	Filter class	q <sub>v</sub> [l/s]	q <sub>v</sub> [m³/h]	$\Delta p_A [Pa]$	m²	[kg]
287	287	48	Coarse 60 %	222	800	50	0.3	0.3
287	592	48	Coarse 60 %	444	1600	50	0.6	0.5
592	592	48	Coarse 60 %	889	3200	50	1.2	0.8
287	287	96	Coarse 60 %	222	800	75	0.6	0.4
287	592	96	Coarse 60 %	444	1600	75	1.1	0.8
592	592	96	Coarse 60 %	889	3200	75	2.2	1.5
287	287	48	Coarse 90 %	222	800	35	0.3	0.3
287	592	48	Coarse 90 %	444	1600	35	0.6	0.5
592	592	48	Coarse 90 %	889	3200	35	1.2	0.8
287	287	96	Coarse 90 %	222	800	60	0.6	0.4
287	592	96	Coarse 90 %	444	1600	60	1.1	0.8
592	592	96	Coarse 90 %	889	3200	60	2.2	1.5

<sup>[1]</sup> Nominal size, [2] Nominal volume flow rate, [3] Initial differential pressure, [4] Filter area, [5] Weight

