


ER – VENTILATION GRILLE



INSTALLATION SUBFRAMES, MADE OF GALVANISED SHEET STEEL, FOR THE FAST AND SIMPLE INSTALLATION OF VENTILATION GRILLES

Installation subframe for the simple and precise installation of ventilation grilles, can be mortared into the wall opening with fixing tabs:

- Angle sections made of galvanised steel
- Preformed fixing tabs
- Individual frame sections with tongue joints

Application

- For the installation of ventilation grilles in walls and sills
- The installation subframe allows for the fast, simple and precise installation of ventilation grilles
- Required for the installation of single grilles and horizontal run sections with concealed screw fixing or spring clip fixing
- Installation subframes allow you to create an installation opening while the wall or ceiling is being created; you can then install the grille later and hence avoid it being damaged or contaminated during construction.

Parts and characteristics

- Installation subframe consisting of angle sections

Materials and surfaces

- Installation subframes, made of formed galvanised sheet steel, with fixing tabs

Maintenance

- Maintenance-free as construction and materials are not subject to wear
- Inspection and cleaning to VDI 6022

TECHNICAL INFORMATION

Order code

Variants

Installation details

TROX GmbH



Heinrich-Trox-Platz
D-47504 Neukirchen-Vluyn
Tel.: +49 (0)2845 202-0
Fax: +49 (0)2845 202-265

Online-Services

› [Order-Status \(My TROX NET\)](#)

› [TROX Academy](#)

› [Catalogue Download](#)

› [Your contact partner](#)

› [Online fault report](#)

› [BIM](#)

Service-Hotlines

Sales Germany
and technical consulting
+49 (0)2845 202-0
[Contact](#)

Technical service
+49 (0)2845 202-400
[Contact](#)