



The art of handling air







ISH



FREE HANGING INSTALLATION ABOVE
WORKSTATIONS



HEATING MODE, VERTICAL AIR
DISCHARGE



The art of handling air

COOLING MODE, HORIZONTAL AIR
DISCHARGE



TYPE ISH [Configure now](#)

FOR INDUSTRIAL ZONES WITHOUT AIR
POLLUTING PROCESSES

Impulse diffusers with horizontal air discharge in cooling mode

- Nominal sizes 250, 355, 450, 560 mm
- Volume flow rate range 205 – 1585 l/s or 738 – 5706 m³/h
- Casing made of galvanised sheet steel
- For variable and constant volume flows
- Installation either free hanging or on walls or pillars
- Large throw distance due to high discharge momentum
- Discharge direction can be adjusted manually or with an actuator
- Chain pull for adjusting the discharge direction manually

Optional equipment and accessories

- Exposed diffuser parts in RAL CLASSIC colours
- Electric and thermal actuators for adjusting the air discharge direction
- Bowden cable for adjusting the discharge direction manually
- Wall mount

The art of handling air

Application ^

Description v

TECHNICAL INFORMATION

Function, Technical data, Quick sizing, Specification text, Order code ^

Accessories, Dimensions and weight, Product details v

Installation details, Basic information and nomenclature v

TROX GmbH



Heinrich-Trox-Platz
D-47504 Neukirchen-Vluyn
Tel.: +49 (0)2845 202-0
Fax: +49 (0)2845 202-265

Online-Services

- › Order-Status (My TROX NET)

- › TROX Academy

- › Catalogue Download

- › Your contact partner

- › Online fault report

- › BIM

Service-Hotlines

Sales Germany
and technical consulting
+49 (0)2845 202-0

[Contact](#)

Technical service
+49 (0)2845 202-400

[Contact](#)

TROX IN SOCIAL WEB
