



The art of handling air




QLF-O-1



QLF-1



QLF-3



## TYPE QLF [Configure now](#)

RECTANGULAR CASING, ONE-WAY OR  
THREE-WAY AIR DISCHARGE, FOR  
INDUSTRIAL AND COMFORT ZONES

## The art of handling air

Slender, space saving displacement flow diffusers in an unusual design with chamfered front edges

- Nominal widths 300 – 1250 mm, nominal heights 450 – 2000 mm
- Volume flow rate range 15 – 865 l/s or 54 – 3114 m<sup>3</sup>/h
- Perforated plate, square pitch
- Rectangular duct connection
- Duct connection at the top or bottom
- Equalising element (perforated sheet metal basket)

Optional equipment and accessories

- Exposed surface in RAL CLASSIC colours
- Fixing material

Application ^

---

Description v

---

### TECHNICAL INFORMATION

Function, Technical data, Quick sizing, Specification text, Order code ^

---

Variants, Dimensions and weight v

---

Installation details, Basic information and nomenclature v

---

## The art of handling air

### TROX GmbH

---



Heinrich-Trox-Platz  
D-47504 Neukirchen-Vluyn  
Tel.: +49 (0)2845 202-0  
Fax: +49 (0)2845 202-265

### Online-Services

---

➤ [Order-Status \(My TROX NET\)](#)

---

➤ [TROX Academy](#)

---

➤ [Catalogue Download](#)

---

➤ [Your contact partner](#)

---

➤ [Online fault report](#)

---

➤ [BIM](#)

---

### Service-Hotlines

---

Sales Germany  
and technical consulting  
+49 (0)2845 202-0  
[Contact](#)

Technical service  
+49 (0)2845 202-400  
[Contact](#)

### TROX IN SOCIAL WEB

---